

To: Kamke, Sherry[Kamke.Sherry@epa.gov]; Egan, Robert[egan.robert@epa.gov]
Cc: Harris, Michael[harris.michael@epa.gov]; Cuerington, Gaye[cuerington.gaye@epa.gov]
From: Ortiz-Santiago, Yesenia (Jessie)
Sent: Fri 6/23/2017 12:36:19 PM
Subject: RE: Tower Standard Action (ceiling) memo

Good morning,

This was signed by Ignacio. Currently in Gaye's inbox. Thank you.

Yesenia Ortiz-Santiago (Jessie)

Administrative Specialist

U.S. Environmental Protection Agency

77 West Jackson Boulevard (L-17J)

Chicago, Illinois 60604

Direct line: (312) 886-6671

Fax: (312) 692-2972

e-mail: ortiz-santiago.yesenia@epa.gov

Note -

This communication may contain privileged, confidential or proprietary information that may be protected from disclosure under law. If you are not the intended recipient, please do not read, use or disclose the contents of this communication to others. Please notify the sender that you have received this in error. Please then delete the communication from your system and destroy any copies of it. Thank you.

From: Kamke, Sherry
Sent: Thursday, June 22, 2017 4:28 PM

To: Ortiz-Santiago, Yesenia (Jessie) <ortiz-santiago.yesenia@epa.gov>
Cc: Harris, Michael <harris.michael@epa.gov>
Subject: Tower Standard Action (ceiling) memo

Jessie,

Both Bob Egan and I will be working but at our homes tomorrow. Because we won't be in the office, could you let us know by email if Ignacio has signed the memo or if he wants us to make changes.

If you did that, it would help us move the document along without delay.

Thanks for your consideration,

Sherry